

About FLIR

USA



The global leader in infrared cameras



1.800.464.6372
Boston, MA

INFRARED CAMERAS & THERMAL IMAGING

- About Infrared
- High Definition Thermal Imaging
- Infrared Cameras
- Software
- Accessories
- Used & Rentals

INFRARED & THERMAL IMAGING IN ACTION

- Image Gallery
- Success Stories
- News & Events
- Industry Applications

THERMAL IMAGING SUPPORT & TRAINING

- Infrared Training Center (ITC)
- Customer Support
- Register Your Camera
- Contact Us

SEARCH:

By Keyword

By Infrared Camera

By Industry

New! ThermaCAM BCAM SD



Click photo to enlarge

Low Cost, High Quality

The New and Improved SD model of the BCAM gives you more image storage, more image quality and more post-processing capabilities! The BCAM SD infrared camera offers a non-invasive means of monitoring and diagnosing the conditions of building.

- Stores 1,000 Radiometric JPEG Images
- Razor-Sharp, Thermal Image Quality
- Long, 7 Hour Battery Life
- Ultra-Portable, Weighs Just 1.2 lbs
- Built-in Laser LocatIR™, Removeable SD Memory Card
- Includes New, Powerful QuickReport Software
- Easy-to-Operate, Large 3.5 Full Color LCD
- Dew Point, Insulation and Color Alarm Features

[Printable version of the New! ThermaCAM BCAM SD page](#)

[View all B-Series Infrared Cameras](#)

More Information

- Features and Specifications
- Camera Specifications
- PDF 2007 B Series
- PDF BCAM Series
- Contact Us
- Refer a Colleague

[home](#) | [contact us](#) | [about infrared & thermal imaging](#) | [employment](#)
[IR camera & thermal imager site map](#) | [infrared cameras & thermal imagers](#)

© FLIR Systems, Inc 2005

[privacy policy](#) | [terms of use](#)



The global leader in infrared cameras


[Close Window](#)
[Print Page](#)

New! ThermaCAM BCAM SD



Low Cost, High Quality

The New and Improved SD model of the BCAM gives you more image storage, more image quality and more post-processing capabilities! The BCAM SD infrared camera offers a non-invasive means of monitoring and diagnosing the conditions of building.

- Stores 1,000 Radiometric JPEG Images
- Razor-Sharp, Thermal Image Quality
- Long, 7 Hour Battery Life
- Ultra-Portable, Weighs Just 1.2 lbs
- Built-in Laser LocaIR™, Removeable SD Memory Card
- Includes New, Powerful QuickReport Software
- Easy-to-Operate, Large 3.5 Full Color LCD
- Dew Point, Insulation and Color Alarm Features

Find Problems Fast

Monitor and diagnose the condition of buildings quickly and view crisp thermal images on the large 3.5" color LCD. Highlight and analyze problems, store images and document results

Rugged, Ergonomic & Lightweight

Hold in your hand, clip to your belt or place in your toolbox, the BCAM Sd weighs just 1.21 lbs. It is the lightest IR and thermal imaging storage camera in the world. Dust and splash proof, the BCAM SD meets IP 54 standards and withstands harsh industrial environments.

Flexible JPEG Image Storage

BCAM SD stores 1,000 images in standard radiometric JPEG format. Insert your images directly into email, Microsoft® Word or Powerpoint®. Recall, analyze and share your findings with others in the field using the camera's LCD. With the new SD card, you are no longer tethered to your computer!

Pinpoint Problems with Precision

The built-in Laser LocaIR™ quickly helps you associate the hot spot on the IR image with the real physical target. This feature greatly enhances the ability to target inconsistencies.

View Sensitive Thermal Images

Now with improved sensitivity, you can see smaller temperature differences and get sharper images! A maintenance-free, state-of-the-art uncooled FPA infrared detector produces highly sensitive thermal images that allow you to detect subtle temperature

variations that can signal moisture content in building materials.

Download and Report! QuickReport Software

Download thermal images to your PC quickly with QuickReport™ software and standard USB cables. Powerful, easy-to-use software for downloading images, making analysis and reports. The BCAM SD ThermoCAM Reporter 8 Software.

Smart Power Management

Lightweight, long life Li-Ion battery assures uninterrupted inspections for up to 7 hours on a single charge. BCAM SD includes an internal battery charger and one battery. Optional car/truck charger and additional batteries are available.

Automatic Color Alarm

The BCAM SD features an automatic color alarm to quickly alert users to moisture-laden areas during building scans -invaluable to detect potential areas of mold growth, as well as verify when structures are moisture-free during the drying out process.

Fast Detection for Fast Action

Instantly image entire rooms, inspect places that can't be physically reached with moisture meters, reveal wet conditions behind surfaces such as enameled walls and wallpaper that don't readily water stain, track leaks to their source, monitor the drying process, and confirm when a structure is dry. Now even easier to use with the "Area min-max function" that instantly finds the hottest or coldest temperature of a target and eliminates the risk of missing key information.

Find Insulation Defects & Prevent Moisture Damage

With the Insulation Alarm you can easily detect areas that don't fulfill the insulation requirements. The Dew Point Alarm displays areas with risk of surface condensation where mold growth could occur.

- Field of view/min focus distance
25° x 25° / 0.3 m
- Temperature Range
-10°C to +100°C (+14°F to +212°F)
- Detector Type
Focal plane array (FPA) uncooled microbolometer
- Spectral range
7.5 to 13 µm